
RECORD OF PGI FINDINGS FORM EARLS COURT

Area no.	Checklist Ref.	Checks per year	Area Inspected (include area/room number)	Hazard/Defect found	Date reported To FRC	FRC Ref.	Check Frequency Change?
76	ECT	12	PLATFORM 6 West bound Piccadilly	✓			
77	ECT	12	CLEANERS STORE AREA CODE: 5/951	✓			
78	ECT	12	SWITCH ROOM E2 AREA CODE: 5/662	Floor needs sweeping	N/A	Night CSS to action	
79	ECT	12	LOWER ESC. MACHINE CHAMBER 1&2 AREA CODE: 5/161	Lots of dust in and on the storage cabinets. L&E to clean please.	22.08.17	1880975	
80	ECT	12	ESCALATORS 1 & 2	✓			
81	ECT	12	SPRINKLER VALVE CHAMBER AREA CODE: 4/412	Room needs sweeping. Night CSS to action	N/A	Night CSS to action	
82	ECT	12	MIDDLE PICC CONCOURSE	1 x 5ft bulb blown	21.08.17	1880862	

83	ECT	12	VENT PLANT ROOM AREA CODE: 4/574	Room needs sweeping	N/A	Night CSS to action	
84	ECT	12	ESC MACHINE CHAMBER1 & 2 AREA CODE: 4/151	Room needs sweeping	22.08.17	1880988	
85	ECT	12	VESDA FOR MIP LIFTS AREA CODE: 4/136	Room needs sweeping	N/A	Night CSS to action	
86	ECT	12	LOBBY TO MIP PUMP ROOM	✓			
87	ECT	12	MIP LIFTS PUMP ROOM AREA CODE: 4/573	✓			
88	ECT	12	SWITCH ROOM E23 AREA CODE: 4/572	✓			
89	ECT	12	STOREROOM AREA CODE: 4/413	✓			
90	ECT	12	STOREROOM AREA CODE: 4/571	Room needs sweeping	N/A	Night CSS to action	

This form must be forwarded to your PGI Champion after reporting all the items to the Fault Reporting Centre (FRC)

Manager's signature: [REDACTED]Page 6

RECORD OF PGI FINDINGS FORM EARLS COURT

Area no.	Checklist Ref.	Checks per year	Area Inspected (include area/room number)	Hazard/Defect found	Date reported To FRC	FRC Ref.	Check Frequency Change?
76	ECT	12	PLATFORM 6 West bound Piccadilly	Dust needs sweeping headwall beyond platform edge barrier	07/09/17	1884575	
77	ECT	12	CLEANERS STORE AREA CODE: 5/951	✓			
78	ECT	12	SWITCH ROOM E2 AREA CODE: 5/662	✓			
79	ECT	12	LOWER ESC. MACHINE CHAMBER 1&2 AREA CODE: 5/161	✓			
80	ECT	12	ESCALATORS 1 & 2	1 tooth missing bottom esc 1	07/09/17	1884584	
81	ECT	12	SPRINKLER VALVE CHAMBER AREA CODE: 4/412	Room needs sweeping	07/09/17	1884577	
82	ECT	12	MIDDLE PICC CONCOURSE	✓			

83	ECT	12	VENT PLANT ROOM AREA CODE: 4/574	Room needs sweeping and slats need wiping down	07/09/17	1884579	
84	ECT	12	ESC MACHINE CHAMBER1 & 2 AREA CODE: 4/151	Floors need sweeping and gullys blocked with water	07/09/17	1884581	
85	ECT	12	VESDA FOR MIP LIFTS AREA CODE: 4/136	✓			
86	ECT	12	LOBBY TO MIP PUMP ROOM	✓			
87	ECT	12	MIP LIFTS PUMP ROOM AREA CODE: 4/573	✓			
88	ECT	12	SWITCH ROOM E23 AREA CODE: 4/572	✓			
89	ECT	12	STOREROOM AREA CODE: 4/413	✓			
90	ECT	12	STOREROOM AREA CODE: 4/571	✓			

This form must be forwarded to your PGI Champion after reporting all the items to the Fault Reporting Centre (FRC)

Manager's signature: [REDACTED]Page 6

RECORD OF PGI FINDINGS FORM EARLS COURT

Area no.	Checklist Ref.	Checks per year	Area Inspected (include area/room number)	Hazard/Defect found	Date reported To FRC	FRC Ref.	Check Frequency Change?
76	ECT	12	PLATFORM 6 West bound Piccadilly	Dust needs sweeping headwall beyond platform edge barrier	07/09/17	1884575	
77	ECT	12	CLEANERS STORE AREA CODE: 5/951	✓			
78	ECT	12	SWITCH ROOM E2 AREA CODE: 5/662	✓			
79	ECT	12	LOWER ESC. MACHINE CHAMBER 1&2 AREA CODE: 5/161	✓			
80	ECT	12	ESCALATORS 1 & 2	1 tooth missing bottom esc 1	07/09/17	1884584	
81	ECT	12	SPRINKLER VALVE CHAMBER AREA CODE: 4/412	Room needs sweeping	07/09/17	1884577	
82	ECT	12	MIDDLE PICC CONCOURSE	✓			

83	ECT	12	VENT PLANT ROOM AREA CODE: 4/574	Room needs sweeping and slats need wiping down	07/09/17	1884579	
84	ECT	12	ESC MACHINE CHAMBER1 & 2 AREA CODE: 4/151	Floors need sweeping and gullys blocked with water	07/09/17	1884581	
85	ECT	12	VESDA FOR MIP LIFTS AREA CODE: 4/136	✓			
86	ECT	12	LOBBY TO MIP PUMP ROOM	✓			
87	ECT	12	MIP LIFTS PUMP ROOM AREA CODE: 4/573	✓			
88	ECT	12	SWITCH ROOM E23 AREA CODE: 4/572	✓			
89	ECT	12	STOREROOM AREA CODE: 4/413	✓			
90	ECT	12	STOREROOM AREA CODE: 4/571	✓			

This form must be forwarded to your PGI Champion after reporting all the items to the Fault Reporting Centre (FRC)

RECORD OF PGI FINDINGS FORM EARLS COURT

Area no.	Checklist Ref.	Checks per year	Area Inspected (include area/room number)	Hazard/Defect found	Date reported To FRC	FRC Ref.	Check Frequency Change?
76	ECT	12	PLATFORM 6 West bound Piccadilly	✓			
77	ECT	12	CLEANERS STORE AREA CODE: 5/951	✓			
78	ECT	12	SWITCH ROOM E2 AREA CODE: 5/662	✓			
79	ECT	12	LOWER ESC. MACHINE CHAMBER 1&2 AREA CODE: 5/161	✓			
80	ECT	12	ESCALATORS 1 & 2	✓			
81	ECT	12	SPRINKLER VALVE CHAMBER AREA CODE: 4/412	✓			
82	ECT	12	MIDDLE PICC CONCOURSE	✓			

83	ECT	12	VENT PLANT ROOM AREA CODE: 4/574	✓			
84	ECT	12	ESC MACHINE CHAMBER1 & 2 AREA CODE: 4/151	✓			
85	ECT	12	VESDA FOR MIP LIFTS AREA CODE: 4/136	✓			
86	ECT	12	LOBBY TO MIP PUMP ROOM	✓			
87	ECT	12	MIP LIFTS PUMP ROOM AREA CODE: 4/573	✓			
88	ECT	12	SWITCH ROOM E23 AREA CODE: 4/572	✓			
89	ECT	12	STOREROOM AREA CODE: 4/413	✓			
90	ECT	12	STOREROOM AREA CODE: 4/571	✓			

This form must be forwarded to your PGI Champion after reporting all the items to the Fault Reporting Centre (FRC)

Manager's signature: [REDACTED] Page 6

RECORD OF PGI FINDINGS FORM EARLS COURT

Area no.	Checklist Ref.	Checks per year	Area Inspected (include area/room number)	Hazard/Defect found	Date reported To FRC	FRC Ref.	Check Frequency Change?
76	ECT	12	PLATFORM 6 West bound Piccadilly	✓			
77	ECT	12	CLEANERS STORE AREA CODE: 5/951	✓			
78	ECT	12	SWITCH ROOM E2 AREA CODE: 5/662	✓			
79	ECT	12	LOWER ESC. MACHINE CHAMBER 1&2 AREA CODE: 5/161	✓			
80	ECT	12	ESCALATORS 1 & 2	✓			
81	ECT	12	SPRINKLER VALVE CHAMBER AREA CODE: 4/412	✓			
82	ECT	12	MIDDLE PICC CONCOURSE	✓			

83	ECT	12	VENT PLANT ROOM AREA CODE: 4/574	✓			
84	ECT	12	ESC MACHINE CHAMBER1 & 2 AREA CODE: 4/151	✓			
85	ECT	12	VESDA FOR MIP LIFTS AREA CODE: 4/136	✓			
86	ECT	12	LOBBY TO MIP PUMP ROOM	✓			
87	ECT	12	MIP LIFTS PUMP ROOM AREA CODE: 4/573	✓			
88	ECT	12	SWITCH ROOM E23 AREA CODE: 4/572	✓			
89	ECT	12	STOREROOM AREA CODE: 4/413	✓			
90	ECT	12	STOREROOM AREA CODE: 4/571	✓			

This form must be forwarded to your PGI Champion after reporting all the items to the Fault Reporting Centre (FRC)

Manager's signature: [REDACTED]Page 6

RECORD OF PGI FINDINGS FORM EARLS COURT

Area no.	Checklist Ref.	Checks per year	Area Inspected (include area/room number)	Hazard/Defect found	Date reported To FRC	FRC Ref.	Check Frequency Change?
76	ECT	12	PLATFORM 6 West bound Piccadilly	✓			
77	ECT	12	CLEANERS STORE AREA CODE: 5/951	✓			
78	ECT	12	SWITCH ROOM E2 AREA CODE: 5/662	✓			
79	ECT	12	LOWER ESC. MACHINE CHAMBER 1&2 AREA CODE: 5/161	✓			
80	ECT	12	ESCALATORS 1 & 2	✓			
81	ECT	12	SPRINKLER VALVE CHAMBER AREA CODE: 4/412	Room needs sweeping	21.11.17	1902741	
82	ECT	12	MIDDLE PICC CONCOURSE	✓			

83	ECT	12	VENT PLANT ROOM AREA CODE: 4/574	Lots of dust build up	21.11.17	1902747	
84	ECT	12	ESC MACHINE CHAMBER1 & 2 AREA CODE: 4/151	✓			
85	ECT	12	VESDA FOR MIP LIFTS AREA CODE: 4/136	✓			
86	ECT	12	LOBBY TO MIP PUMP ROOM	✓			
87	ECT	12	MIP LIFTS PUMP ROOM AREA CODE: 4/573	✓			
88	ECT	12	SWITCH ROOM E23 AREA CODE: 4/572	✓			
89	ECT	12	STOREROOM AREA CODE: 4/413	✓			
90	ECT	12	STOREROOM AREA CODE: 4/571	✓			

This form must be forwarded to your PGI Champion after reporting all the items to the Fault Reporting Centre (FRC)

Manager's signature: [REDACTED]Page 6

RECORD OF PGI FINDINGS FORM EARLS COURT

Area no.	Checklist Ref.	Checks per year	Area Inspected (include area/room number)	Hazard/Defect found	Date reported To FRC	FRC Ref.	Check Frequency Change?
76	ECT	12	PLATFORM 6 West bound Piccadilly	✓			
77	ECT	12	CLEANERS STORE AREA CODE: 5/951	✓			
78	ECT	12	SWITCH ROOM E2 AREA CODE: 5/662	✓			
79	ECT	12	LOWER ESC. MACHINE CHAMBER 1&2 AREA CODE: 5/161	✓			
80	ECT	12	ESCALATORS 1 & 2	✓			
81	ECT	12	SPRINKLER VALVE CHAMBER AREA CODE: 4/412	Room needs sweeping	21.11.17	1902741	
82	ECT	12	MIDDLE PICC CONCOURSE	✓			

83	ECT	12	VENT PLANT ROOM AREA CODE: 4/574	Lots of dust build up	21.11.17	1902747	
84	ECT	12	ESC MACHINE CHAMBER1 & 2 AREA CODE: 4/151	✓			
85	ECT	12	VESDA FOR MIP LIFTS AREA CODE: 4/136	✓			
86	ECT	12	LOBBY TO MIP PUMP ROOM	✓			
87	ECT	12	MIP LIFTS PUMP ROOM AREA CODE: 4/573	✓			
88	ECT	12	SWITCH ROOM E23 AREA CODE: 4/572	✓			
89	ECT	12	STOREROOM AREA CODE: 4/413	✓			
90	ECT	12	STOREROOM AREA CODE: 4/571	✓			

This form must be forwarded to your PGI Champion after reporting all the items to the Fault Reporting Centre (FRC)

Manager's signature: XXXXXXXXXXXXXXXXXXXXPage 6

RECORD OF PGI FINDINGS FORM EARLS COURT

Area no.	Checklist Ref.	Checks per year	Area Inspected (include area/room number)	Hazard/Defect found	Date reported To FRC	FRC Ref.	Check Frequency Change?
76	ECT	12	PLATFORM 6 West bound Piccadilly	✓			
77	ECT	12	CLEANERS STORE AREA CODE: 5/951	✓			
78	ECT	12	SWITCH ROOM E2 AREA CODE: 5/662	✓			
79	ECT	12	LOWER ESC. MACHINE CHAMBER 1&2 AREA CODE: 5/161	✓			
80	ECT	12	ESCALATORS 1 & 2	2x teeth missing top of escalator 1	15.12.17	1909255	
81	ECT	12	SPRINKLER VALVE CHAMBER AREA CODE: 4/412	✓			
82	ECT	12	MIDDLE PICC CONCOURSE	✓			

83	ECT	12	VENT PLANT ROOM AREA CODE: 4/574	Room needs sweeping	15.12.17	1909249	
84	ECT	12	ESC MACHINE CHAMBER1 & 2 AREA CODE: 4/151	Blocked gully needs cleaning	15.12.17	1909258	
85	ECT	12	VESDA FOR MIP LIFTS AREA CODE: 4/136	✓			
86	ECT	12	LOBBY TO MIP PUMP ROOM	✓			
87	ECT	12	MIP LIFTS PUMP ROOM AREA CODE: 4/573	✓			
88	ECT	12	SWITCH ROOM E23 AREA CODE: 4/572	✓			
89	ECT	12	STOREROOM AREA CODE: 4/413	✓			
90	ECT	12	STOREROOM AREA CODE: 4/571	✓			

This form must be forwarded to your PGI Champion after reporting all the items to the Fault Reporting Centre (FRC)

Manager's signature: [REDACTED] Page 6

RECORD OF PGI FINDINGS FORM EARLS COURT

Area no.	Checklist Ref.	Checks per year	Area Inspected (include area/room number)	Hazard/Defect found	Date reported To FRC	FRC Ref.	Check Frequency Change?
76	ECT	12	PLATFORM 6 West bound Piccadilly	✓			
77	ECT	12	CLEANERS STORE AREA CODE: 5/951	✓			
78	ECT	12	SWITCH ROOM E2 AREA CODE: 5/662	✓			
79	ECT	12	LOWER ESC. MACHINE CHAMBER 1&2 AREA CODE: 5/161	✓			
80	ECT	12	ESCALATORS 1 & 2	2x teeth missing top of escalator 1	15.12.17	1909255	
81	ECT	12	SPRINKLER VALVE CHAMBER AREA CODE: 4/412	✓			
82	ECT	12	MIDDLE PICC CONCOURSE	✓			

83	ECT	12	VENT PLANT ROOM AREA CODE: 4/574	Room needs sweeping	15.12.17	1909249	
84	ECT	12	ESC MACHINE CHAMBER1 & 2 AREA CODE: 4/151	Blocked gully needs cleaning	15.12.17	1909258	
85	ECT	12	VESDA FOR MIP LIFTS AREA CODE: 4/136	✓			
86	ECT	12	LOBBY TO MIP PUMP ROOM	✓			
87	ECT	12	MIP LIFTS PUMP ROOM AREA CODE: 4/573	✓			
88	ECT	12	SWITCH ROOM E23 AREA CODE: 4/572	✓			
89	ECT	12	STOREROOM AREA CODE: 4/413	✓			
90	ECT	12	STOREROOM AREA CODE: 4/571	✓			

This form must be forwarded to your PGI Champion after reporting all the items to the Fault Reporting Centre (FRC)

Manager's signature: [REDACTED] Page 6

RECORD OF PGI FINDINGS FORM EARLS COURT 13th June 2017

Area no.	Checklist Ref.	Checks per year	Area Inspected (include area/room number)	Hazard/Defect found	Date reported To FRC	FRC Ref.	Check Frequency Change?
76	ECT	12	PLATFORM 6 West bound Piccadilly	N/A			
77	ECT	12	CLEANERS STORE AREA CODE:5/951	N/A			
78	ECT	12	SWITCH ROOM E2 AREA CODE:5/662	N/A			
79	ECT	12	LOWER ESC. MACHINE CHAMBER 1&2 AREA CODE: 5/161	Water pooling on the floor in chamber (Engineering hrs)	13/06/17	Cause? Pipes? Water ingress?	
80	ECT	12	ESCALATORS 1 & 2	N/A			

81	ECT	12	SPRINKLER VALVE CHAMBER AREA CODE: 4/412	Build-up of dirt and dust on floor	N/A	Night cleaners(CSS to action)	
82	ECT	12	MIDDLE PICC CONCOURSE	X 4 blown fluorescent tubes (Engineering hrs with protection)	13/06/17	1864426	
83	ECT	12	VENT PLANT ROOM AREA CODE: 4/574	Build-up of dirt and dust on floor	N/A	Night cleaners (CSS to action)	
84	ECT	12	ESC MACHINE CHAMBER1 & 2 AREA CODE: 4/151	Stagnant water sitting in drain gully at base of wall. (Engineering hrs)	13/06/17	1864428	
85	ECT	12	VESDA FOR MIP LIFTS AREA CODE: 4/136	Build-up of dust on floor	N/A	Night cleaners (CSS to action)	
86	ECT	12	LOBBY TO MIP PUMP ROOM	N/A			
87	ECT	12	MIP LIFTS PUMP ROOM AREA CODE: 4/573	Build-up of dust in vents inside room	13/06/17	1864432	
88	ECT	12	SWITCH ROOM E23 AREA CODE: 4/572	N/A			

89	ECT	12	STOREROOM AREA CODE: 4/413	N/A			
90	ECT	12	STOREROOM AREA CODE: 4/571	Defective master key lock. (Attendance anytime)	13/06/17	Defective?	

This form must be forwarded to your PGI Champion after reporting all the items to the Fault Reporting Centre (FRC)

Manager's signature: [REDACTED] Page 6

RECORD OF PGI FINDINGS FORM EARLS COURT 13th June 2017

Area no.	Checklist Ref.	Checks per year	Area Inspected (include area/room number)	Hazard/Defect found	Date reported To FRC	FRC Ref.	Check Frequency Change?
76	ECT	12	PLATFORM 6 West bound Piccadilly	N/A			
77	ECT	12	CLEANERS STORE AREA CODE:5/951	N/A			
78	ECT	12	SWITCH ROOM E2 AREA CODE:5/662	N/A			
79	ECT	12	LOWER ESC. MACHINE CHAMBER 1&2 AREA CODE: 5/161	Water pooling on the floor in chamber (Engineering hrs)	13/06/17	Cause? Pipes? Water ingress?	
80	ECT	12	ESCALATORS 1 & 2	N/A			

81	ECT	12	SPRINKLER VALVE CHAMBER AREA CODE: 4/412	Build-up of dirt and dust on floor	N/A	Night cleaners(CSS to action)	
82	ECT	12	MIDDLE PICC CONCOURSE	X 4 blown fluorescent tubes (Engineering hrs with protection)	13/06/17	1864426	
83	ECT	12	VENT PLANT ROOM AREA CODE: 4/574	Build-up of dirt and dust on floor	N/A	Night cleaners (CSS to action)	
84	ECT	12	ESC MACHINE CHAMBER1 & 2 AREA CODE: 4/151	Stagnant water sitting in drain gully at base of wall. (Engineering hrs)	13/06/17	1864428	
85	ECT	12	VESDA FOR MIP LIFTS AREA CODE: 4/136	Build-up of dust on floor	N/A	Night cleaners (CSS to action)	
86	ECT	12	LOBBY TO MIP PUMP ROOM	N/A			
87	ECT	12	MIP LIFTS PUMP ROOM AREA CODE: 4/573	Build-up of dust in vents inside room	13/06/17	1864432	
88	ECT	12	SWITCH ROOM E23 AREA CODE: 4/572	N/A			

89	ECT	12	STOREROOM AREA CODE: 4/413	N/A			
90	ECT	12	STOREROOM AREA CODE: 4/571	Defective master key lock. (Attendance anytime)	13/06/17	Defective?	

This form must be forwarded to your PGI Champion after reporting all the items to the Fault Reporting Centre (FRC)

Manager's signature: [REDACTED] Page 6

RECORD OF PGI FINDINGS FORM EARLS COURT **5th March 2017**

Area no.	Checklist Ref.	Checks per year	Area Inspected (include area/room number)	Hazard/Defect found	Date reported To FRC	FRC Ref.	Check Frequency Change?
76	ECT	12	PLATFORM 6 West bound Piccadilly	Build up of rubbish in headwall track pit (Attendance Eng hrs)	05/03/17	1842408	
77	ECT	12	CLEANERS STORE AREA CODE: 5/951	✓			
78	ECT	12	SWITCH ROOM E2 AREA CODE: 5/662	✓			
79	ECT	12	LOWER ESC. MACHINE CHAMBER 1&2 AREA CODE: 5/161	✓			
80	ECT	12	ESCALATORS 1 & 2	✓			
81	ECT	12	SPRINKLER VALVE CHAMBER AREA CODE: 4/412	✓			
82	ECT	12	MIDDLE PICC CONCOURSE	X 6 2ft fluorescent tubes blown (Attendance Eng hrs)	05/03/17	1842409	

83	ECT	12	VENT PLANT ROOM AREA CODE: 4/574	Build-up of dust in room	N/A	1842412	
84	ECT	12	ESC MACHINE CHAMBER1 & 2 AREA CODE: 4/151	Floor gully is full of stagnant water (Anytime attendance)	05/03/17	1842411	
85	ECT	12	VESDA FOR MIP LIFTS AREA CODE: 4/136	Build-up of dust in room	N/A	1842413	
86	ECT	12	LOBBY TO MIP PUMP ROOM	✓			
87	ECT	12	MIP LIFTS PUMP ROOM AREA CODE: 4/573	✓			
88	ECT	12	SWITCH ROOM E23 AREA CODE: 4/572	✓			
89	ECT	12	STOREROOM AREA CODE: 4/413	✓			
90	ECT	12	STOREROOM AREA CODE: 4/571	✓			

This form must be forwarded to your PGI Champion after reporting all the items to the Fault Reporting Centre (FRC)

RECORD OF PGI FINDINGS FORM EARLS COURT **5th March 2017**

Area no.	Checklist Ref.	Checks per year	Area Inspected (include area/room number)	Hazard/Defect found	Date reported To FRC	FRC Ref.	Check Frequency Change?
76	ECT	12	PLATFORM 6 West bound Piccadilly	Build up of rubbish in headwall track pit (Attendance Eng hrs)	05/03/17	1842408	
77	ECT	12	CLEANERS STORE AREA CODE: 5/951	✓			
78	ECT	12	SWITCH ROOM E2 AREA CODE: 5/662	✓			
79	ECT	12	LOWER ESC. MACHINE CHAMBER 1&2 AREA CODE: 5/161	✓			
80	ECT	12	ESCALATORS 1 & 2	✓			
81	ECT	12	SPRINKLER VALVE CHAMBER AREA CODE: 4/412	✓			
82	ECT	12	MIDDLE PICC CONCOURSE	X 6 2ft fluorescent tubes blown (Attendance Eng hrs)	05/03/17	1842409	

83	ECT	12	VENT PLANT ROOM AREA CODE: 4/574	Build-up of dust in room	N/A	1842412	
84	ECT	12	ESC MACHINE CHAMBER1 & 2 AREA CODE: 4/151	Floor gully is full of stagnant water (Anytime attendance)	05/03/17	1842411	
85	ECT	12	VESDA FOR MIP LIFTS AREA CODE: 4/136	Build-up of dust in room	N/A	1842413	
86	ECT	12	LOBBY TO MIP PUMP ROOM	✓			
87	ECT	12	MIP LIFTS PUMP ROOM AREA CODE: 4/573	✓			
88	ECT	12	SWITCH ROOM E23 AREA CODE: 4/572	✓			
89	ECT	12	STOREROOM AREA CODE: 4/413	✓			
90	ECT	12	STOREROOM AREA CODE: 4/571	✓			

This form must be forwarded to your PGI Champion after reporting all the items to the Fault Reporting Centre (FRC)

Manager's signature: [REDACTED]Page 6

RECORD OF PGI FINDINGS FORM EARLS COURT

Area no.	Checklist Ref.	Checks per year	Area Inspected (include area/room number)	Hazard/Defect found	Date reported To FRC	FRC Ref.	Check Frequency Change?
91	ECT	12	MIP LIFT PIT AREA CODE:4/202	✓			
92	ECT	12	SWITCHROOM E3 AREA CODE: 4/661	✓			
93	ECT	12	EXHIBITION SUBWAY	✓			
94	ECT	12	LMC CHAMBER 3 & 5 AREA CODE: 4/161	✓			
95	ECT	12	ESCALATORS 3 & 5	✓			
96	ECT	12	UMC ESC'S 3 & 5 AREA CODE: 3/151	✓			
97	ECT	12	SWITCHROOM E14 AREA CODE:3/662	✓			

98	ECT		LOBBY TO SWITCHROOMS AREA CODE: 3/238	✓			
99	ECT	12	SWITCHROOM E15 AREA CODE: 3/663	✓			
100	ECT	12	OLBI ROOM AREA CODE: 3/676	✓			
102	ECT	12	'D' TICKET OFFICE AREA CODE: 3/011	✓			
103	ECT	12					
104	ECT	12					
105	ECT	12					
106	ECT	12					

This form must be forwarded to your PGI Champion after reporting all the items to the Fault Reporting Centre (FRC)

Manager's signature & PRINT NAME: [REDACTED] Page 7

RECORD OF PGI FINDINGS FORM EARLS COURT

Area no.	Checklist Ref.	Checks per year	Area Inspected (include area/room number)	Hazard/Defect found	Date reported To FRC	FRC Ref.	Check Frequency Change?
91	ECT	12	MIP LIFT PIT AREA CODE:4/202	✓			
92	ECT	12	SWITCHROOM E3 AREA CODE: 4/661	✓			
93	ECT	12	EXHIBITION SUBWAY	✓			
94	ECT	12	LMC CHAMBER 3 & 5 AREA CODE: 4/161	✓			
95	ECT	12	ESCALATORS 3 & 5	✓			
96	ECT	12	UMC ESC'S 3 & 5 AREA CODE: 3/151	✓			
97	ECT	12	SWITCHROOM E14 AREA CODE:3/662	✓			

98	ECT		LOBBY TO SWITCHROOMS AREA CODE: 3/238	✓			
99	ECT	12	SWITCHROOM E15 AREA CODE: 3/663	✓			
100	ECT	12	OLBI ROOM AREA CODE: 3/676	✓			
102	ECT	12	'D' TICKET OFFICE AREA CODE: 3/011	✓			
103	ECT	12					
104	ECT	12					
105	ECT	12					
106	ECT	12					

This form must be forwarded to your PGI Champion after reporting all the items to the Fault Reporting Centre (FRC)

Manager's signature & PRINT NAME: XXXXXXXXXX Page 7
