

72TS (Bakerloo)

Aesthetic Concept


Engineering Edition for Technical Requirements Specification

Issue 1.3
24 October 2018

Prepared by



Approved by



Please Note:

This document is designed to give an overview of the envisaged aesthetics of the train interior and does not supersede legal requirements or those in standards and Technical Requirements Specification (TRSs).

Summary of changes:

- Issue 1.2: Wheelchair space visual updated. No change to colour spec.
- Issue 1.3: Wheelchair space visual updated, with additions to colour spec.

Contents

Colour breakdown

Below Waistrail:

Handrails

Floor covering

Wheelchair space

Above Waistrail:

Visual Displays

LED lighting

Specified handrail and interior panelling colours

All handrails



RAL 3009
Oxide Red

LRV: ~5

Interior panelling




RAL 9001
Cream

LRV: ~75

Contrast: ~70



Flooring



TM7 FL0013-7148-02

| | NCS | LRV | % | Adjusted LRV |
|-------|-------------|-------|-----|---------------|
| Base | S 7020-Y90R | 6.38 | 90 | 5.742 |
| Fleck | S 8502-B | 6.2 | 5 | 0.31 |
| Fleck | S 6030-Y50R | 10.94 | 2.5 | 0.2735 |
| Fleck | S 6502-R | 15.12 | 2.5 | 0.378 |
| | | | | 6.7035 |

TM7 FL0013-7147-02

| | NCS | LRV | % | Adjusted LRV |
|-------|-------------|-------|-----|---------------|
| Base | S 3502-R | 37.56 | 90 | 33.804 |
| Fleck | S1510-Y50R | 59.47 | 5 | 2.9735 |
| Fleck | S 4050-Y50R | 16.48 | 2.5 | 0.412 |
| Fleck | S 0500-N | 85.95 | 2.5 | 2.1488 |
| | | | | 39.338 |

Contrast: 32.635

Wheelchair space



Emergency Brakes
Gloss



RAL 3020
Traffic Red

LRV: ~12

All handrails



RAL 3009
Oxide Red

LRV: ~5

Interior panelling



RAL 9001
Cream

LRV: ~75

Grabpoles added at doorways
End castings to be sympathetic to existing design and matching in colour

Panel to provide perch-seating,
reflecting existing seating design

Draftscreen, grab poles and grab pole
castings to match existing design and
matching in colour

Visual Displays

To be completed

LED lighting

To be completed